

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687768389362

अनुबंध तिथि | Generated Date : 18-Feb-2025

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/5765947](#)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्रकार Type : Central Autonomous मंत्रालय Ministry : Ministry of Agriculture and Farmers Welfare विभाग Department : Department of Agricultural Research and Education (DARE) संगठन का नाम Organisation Name : Indian Council of Agricultural Research (ICAR) कार्यालय क्षेत्र Office Zone : Icar- Central Institute For Women In Agriculture, Bhubaneswar	पद Designation : STORESDA संपर्क नंबर Contact No. : 095-38464730- ईमेल आईडी Email ID : parikshit.mallik@icar.gov.in जीएसटीआईएन GSTIN : - पता Address : ICAR - Central Institute for Women in Agriculture Plot No. 50-51, Mouza - Jokalandi, P.O. - Baramunda, Bhubaneswar - 751003, Odisha, India, KHURDA, ODISHA-751003, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval : Director वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : F&AO	Role: PAO भुगतान का तरीका Payment Mode: Offline पद Designation : FINANCE AND ACCOUNTS OFFICER ईमेल आईडी Email ID : pao78.icari.or@gembuyer.in जीएसटीआईएन GSTIN : 21AAAGC0478F1Z0 पता Address : ICAR - Central Institute for Women in Agriculture Plot No. 50-51, Mouza - Jokalandi, P.O. - Baramunda, Bhubaneswar - 751003, Odisha, India, KHURDA, ODISHA-751003, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : S2MV230008587448 कंपनी का नाम Company Name : ASSOCIATED LABTECH संपर्क नंबर Contact No. : 09937133063 ईमेल आईडी Email ID : info@associatedlabtech.in पता Address : PLOT NO. 212/3293, DN Newtown, Sundarpur, KIIT, Bhubaneswar, Khurda (Khordha), ODISHA-751024, - एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-OD-19-0028368 जीएसटीआईएन GSTIN: 21BPHPS5833Q1ZA (R) खरीदार द्वारा मूल्यांकित एमआईआई स्थिति MII Status as evaluated by buyer : Verified खरीदार द्वारा सत्यापित एमएसएमई स्थिति MSME Status as verified by buyer : Not Verified एमएसई सामाजिक श्रेणी MSE Social Category : OBC एमएसई लिंग श्रेणी MSE Gender : Male

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : As per the required specification

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : ANTON PAAR Aluminium Microwave Digestion System, 50 milliliter ब्रांड Brand : ANTON PAAR ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Microwave Digestion System (Q3) मॉडल Model: Multiwave Go Plus एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	1,800,000	NA	1,800,000
कुल ऑर्डर मूल्य Total Order Value (in INR)						1,800,000

परेषिती विवरण Consignee Detail					
					दिनांक के बाद वितरण पूरा कब तक करना है।

क्र.सं. S.No	परोक्षिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	डिलीवरी शुरू करना है Delivery Start After	Delivery To Be Completed By
1	<p>पद Designation : - ईमेल आईडी Email ID : parikshit.mallik@icar.gov.in संपर्क Contact : 095-38464730- जीएसटीआईएन GSTIN : - पता Address : ICAR - Central Institute for Women in Agriculture Plot No. 50-51, Mouza - Jokalandi, P.O. - Baramunda, Bhubaneswar - 751003, Odisha, India, KHURDA, ODISHA-751003, India</p>	ANTON PAAR Aluminium Microwave Digestion System, 50 milliliter	-	1	18-Feb-2025	20-Mar-2025

Product Specification for ANTON PAAR Aluminium Microwave Digestion System, 50 milliliter

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Generic Parameter	Temperature measurement	Contactless IR Sensor
	Type of sample	Soil,Plant,Food,Sediments,Waste Water,Biological,Materials,Environmental,EPA procedures,Pharmaceutical,Other
	Minimum sample processing capacity of rotor/Rack	12
	Chamber design	Other
	Controller	Integrated Color Graphical Touchscreen display
	If Other, Please Specify otherwise write NA	NA
	Minimum capacity (Volume) of TFM/PTFE vessel	50 milliliter
	If Other please specify otherwise write NA	NA
	Number of High Pressure Vessels/ Vials	4,6,8,10,12
Cerifications and Standards	Certification	RoHS Directive,EN ISO 12100,EN 61326-1,EN 61010-1,EN 61010-2-010:2014,EN 61010-2
Performance Parameters	Maximum filling volume (In filling volume range)	25 milliliter
	Pressure Control	All Positions
	Rated power of Microwave digestion system	1000 Watt
	Maximum pressure stability of rotor / rack with vessel	160 bar
	Maximum operating pressure	20,40 bar
	Temperature control	All Positions
	Minimum sample digesting capacity per vessel/Vial	3 gram
	Minimum filling volume (In filling volume range)	3 milliliter
	Maximum temperature of vessel	250 degree Celsius
Construction parameter	Vessel/Vial Material	PTFE-TFM,Glass Inserts,Quartz Inserts
	Rotor material	Aluminium
	Rack Material	NA
	Pressure activated venting using metal alloy spring	Metal
Technical Specification	If any other please specify otherwise write NA	NA
	Pre-pressurization of cavity	NA
	Microwave leakage (Mw/cm2)	<5
	Remote control capability	NA
	Communication ports	2 USB
	Integrated touchscreen size	5.7 inch
	Vessel material compatability	HNO3,HCl,H2O2,HF,H2SO4,Other
	Maximum Cavity Size	7.6 liter
Electrical Parameter	Voltage (VAC)	230 Volt
	Frequency	50 Hertz
Additional Parameter	Up-gradability	NA
	Salient feature	One Direction 360 Continuous Rotation,Cavity Type - Directed Multimode Cavity,Low opeating noise
Warranty/Service	Temperature calibrator with 3 years warranty	Yes

	Warranty	1 year
Test Report	Test Report Date and Numbers (Please write NA if not applicable)	NA
	Name and Address of the lab (Please write NA if not applicable)	NA
	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	No
	Test Report To Be Submitted To The Buyer On Demand	NA

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for ANTON PAAR Aluminium Microwave Digestion System, 50 milliliter

विनिर्देश Specification	मूल्य Value
Microwave frequency: Microwave output power:	2450 MHz\ 1000 Watt
Temperature ramp: Cooling time: Temperature control range:	1-50?/min ?25min 0-300?
Temperature control accuracy: Pressure control range: Pressure accuracy:	0.1? 0-10Mpa 0.01Mpa
Outer tank material: Inner can material: Highest temperature resistance:	peek TFM1700 300?
Operating temperature: Warranty:	250? and touch screen operation 36 months or more

मूल्य द्विभाजन एक्सेल फ़ाइल विवरण | Price Bifurcation Excel File details: [Price Bid](#)

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	State Bank of India
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	3.00
बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा The bidder shall furnish ePBG as applicable as per bid's terms and conditions	

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 1.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic.

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

Note: Read the Buyer Added ATC Document thoroughly and completely and the terms and conditions mentioned in Buyer ATC supersede GeM conditions if case of any contradiction.

GENERAL TERMS AND CONDITIONS OF CONTRACT

1. REGISTRATION ON GEM-PORTAL:

The Bidders are advised to register themselves with GeM Portal at <https://gem.gov.in/>.

2. PROCEDURE TO BE FOLLOWED FOR SUBMISSION OF TENDER:

Bidder firms which fulfil the below eligibility conditions may upload the technical bid and Financial bid along with the scanned copy of requisite documents as detailed under failing which bids will be rejected.

TECHNICAL BID:

Sl	Documents	Procedure to be followed
1	EMD	Scanned Copy of the EMD should be uploaded on GeM-portal under Technical BID

		Original Earnest Money Deposit in the form of Demand Draft/Pay order/NEFT/RTGS in favour of "ICAR Unit- DRWA, Account Number 10478302130, IFSC code-SBIN0009027, Name of the Bank- State Bank of India, Priyadarshini Market Branch, Branch code- 90 27" payable at Bhubaneswar as mentioned in this Tender Notice should be placed in a sealed envelope super scribed "EMD for supply of Microwave Digestor for ICAR-CIWA, Bhubaneswar" along with bidders' name, address and contact details and should be submitted to Administrative Section, 1st Floor, Main Building, ICAR-CIWA, Plot 50-51, Mouza-Jokalandi, Kalinga Studio Chowk, Bhubaneswar - 751003 within the time limit notified in this Tender Notice.
2	Documents to be submitted	All required/relevant documents as per Checklist (Annexure-II) and additional documents as per tender document should be uploaded in GeM Portal with all pages serially numbered and attested/signed by the Authorised Signatory

FINANCIAL BID:

Bidders have to submit online Financial Bid on e-portal as per proforma given in ANNEXURE "XII".

NOTE:

All the documents uploaded on e-portal should be self-attested & must be readable, legible, signed & stamped by authorized signatory.

Annexure-I

SCOPE OF WORK / LIST OF ITEMS

Introduction

ICAR-CIWA, Bhubaneswar has decided to procure Microwave Digestor through GeM Portal, as indicated in the specifications, from various vendors who have executed related works in Government Department, PSUs, Government Institutes / bodies, etc.

Specifications:

Microwave Digestor
<p>Specification:</p> <ul style="list-style-type: none"> • Microwave frequency: 2450 MHz • Microwave output power: 1000 Watt • Temperature ramp: 1-50°C/min • Cooling time: ≤25min • Temperature control range: 0-300°C • Temperature control accuracy: 0.1°C • Pressure control range: 0-10Mpa • Pressure accuracy: 0.01Mpa • Outer tank material: peek • Inner can material: TFM1700 • Highest temperature resistance: 300°C • Operating temperature: 250°C and touch screen operation • Warranty: 36 months or more

Delivery of the Tendered Items :

The selected vendor is responsible for supply of the tendered items and the same should be delivered within the time period specified in the GeM Bid.

Location: ICAR-CIWA, Plot 50-51, Opp Kalinga Studio, Mouza-Jokhalandi, Post Baramunda, Bhubaneswar - 751003

Contact:

For further details, you may please feel to contact the Purchase Officer – 0674 2387245 / stores.ciwa@icar.gov.in

For clarification regarding the technical specification, you may please call: Dr. Sachidananda Swain (9933282236, sachidananda.swain@icar.gov.in)

Annexure - II

CHECK LIST

DETAILS OF DOCUMENTS TO BE PROVIDED AGAINST GeM BID

Note: All documents along with above check list shall be dully signed and stamped by the bidder. Non-attested documents will not be considered.

Sl. No.	Parameters/ Documents to be attached	Provided (Yes /No)	Reference Page no./Remarks
1	Certification/Registration Details		
	1.1	PAN Card	
	1.2	GST Registration	
	1.3	MCA/Company Registration	
	1.4	TAN Number (if applicable)	
	1.5	NSIC/SSI certificates registered with NSIC (if applicable)	
	1.6	Udyam Registration Certificate (if applicable)	
2	Certified copies of Balance Sheet by the Registered Chartered Accountants for the following years		
	2.1	FY 2021-22/AY 2022-23	
	2.2	FY 2022-23/AY 2023-24	
	2.3	FY 2023-24/AY 2024-25	
3	Certified copies of Profit & Loss Account by the Registered Chartered Accountants for the following years		
	3.1	FY 2021-22/AY 2022-23	
	3.2	FY 2022-23/AY 2023-24	
	3.3	FY 2023-24/AY 2024-25	
4	Self-attested copies of Income Tax Return for the following years		
	4.1	FY 2021-22/AY 2022-23	
	4.2	FY 2022-23/AY 2023-24	
	4.3	FY 2023-24/AY 2024-25	
5	Annual Turnover certificate of the bidder for the last 03 financial years (Financial Year 2021-22, 2022-23 and 2023-24) duly certified by a registered Chartered Accountant		
6	Annual Turnover certificate of OEM for the last 03 financial years (Financial Year 2021-22, 2022-23 and 2023-24) duly certified by a registered Chartered Accountant		
7	Scanned copy of GST clearance and deposit receipt of months April to November 2024 (any two months) in form GSTR-3B as per rule (5)		
8	Tender Acceptance Form (Annexure - III)		
9	Original Equipment Manufacturer (OEM)'S Authorization Form (Annexure - IV) (if applicable)		
10	Self-Certification on company letter head: Restrictions under Rule 144 (xi) of the General Financial Rules (GFRs), 2017 (Land Border Sharing) (Annexure - V)		
11	Local Content Deceleration under Preference to "MAKE IN INDIA" Policy (Annexure -VI)		

12	Experience Certificate/ Past performance Certificate as per bid requirement (Annexure - VII)		
13	Bid Securing Declaration Form on Company's letter head (Annexure - VIII)		
14	Undertaking on Company letter head regarding Fall Clause (Annexure - IX)		
15	Declaration on Letter Head regarding non-blacklisting (Annexure - X)		
16	Technical Specification Compliance/Deviation (Annexure-XI)		
17	Quoted Product Brochure/Catalogue		
18	Compliance undertaking regarding Comprehensive Warranty and Post Warranty CAMC, if any, as per requirement of the Bid.		
19	Any other additional information/documentation as required in the bid		

2.3 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file](#).

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.