



Bid Number/बोली क्रमांक (बिड संख्या): GEM/2025/B/5804762

Dated/दिनांक : 13-01-2025

**Bid Document/ बिड दस्तावेज़**

<b>Bid Details/बिड विवरण</b>	
<b>Bid End Date/Time/बिड बंद होने की तारीख/समय</b>	23-01-2025 19:00:00
<b>Bid Opening Date/Time/बिड खुलने की तारीख/समय</b>	23-01-2025 19:30:00
<b>Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)</b>	180 (Days)
<b>Ministry/State Name/मंत्रालय/राज्य का नाम</b>	Ministry Of Agriculture And Farmers Welfare
<b>Department Name/विभाग का नाम</b>	Department Of Agricultural Research And Education (dare)
<b>Organisation Name/संगठन का नाम</b>	Indian Council Of Agricultural Research (icar)
<b>Office Name/कार्यालय का नाम</b>	Icar- Central Institute For Women In Agriculture, Bhubaneswar
<b>क्रेता ईमेल/Buyer Email</b>	parikshit.mallik@icar.gov.in
<b>Total Quantity/कुल मात्रा</b>	1
<b>Item Category/मद केटेगरी</b>	Nitrogen / Protein Analyzers (Q3)
<b>Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)</b>	4 Lakh (s)
<b>OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)</b>	30 Lakh (s)
<b>Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष</b>	3 Year (s)
<b>MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/</b>	Yes
<b>Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/</b>	Yes
<b>Document required from seller/विक्रेता से मांगे गए दस्तावेज़</b>	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

**Bid Details/बिड विवरण**

<b>Do you want to show documents uploaded by bidders to all bidders participated in bid?/</b>	No
<b>Past Performance/विगत प्रदर्शन</b>	40 %
<b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b>	Yes
<b>RA Qualification Rule</b>	H1-Highest Priced Bid Elimination
<b>Type of Bid/बिड का प्रकार</b>	Two Packet Bid
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	2 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Total value wise evaluation
<b>Arbitration Clause</b>	No
<b>Mediation Clause</b>	No

**EMD Detail/ईएमडी विवरण**

Required/आवश्यकता	No
-------------------	----

**ePBG Detail/ईपीबीजी विवरण**

Required/आवश्यकता	No
-------------------	----

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.
9. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting

bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

## Nitrogen / Protein Analyzers ( 1 pieces )

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Construction	Sample size	1.0 (gram)
	Method of analysis	Dumas, Combustion
Certifications	Availability of ISO certification of manufacture	Yes

### Additional Specification Parameters - Nitrogen / Protein Analyzers ( 1 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Six Place 250 ml capacity PC Compatible Block Digestion System with all essential accessories Maximum Temperature Control Range: 500° C with safety cut off at 470°C	Integrated auto-sequencing time/temperature domain of 100 programs and 12 sequencing steps TFT Graphic Touch Screen Display with wireless mouse Live Graph representation with Time temp curve in touch screen display Separate temperature Controller with separate access door for electronics control tower unit.
Inbuilt add-on safety standby PID Controller for Heater & block protection Power failure mode: In event of power resumption, holds previous programmed setting in memory & on power resumption starts from last set value	Additional suction assembly with giant suction water aspirator filter suction pumps (2 nos.) for safe removal of acid fumes All essential accessories like Digestion Tubes, SS Insert Rack, Exhaust Manifold to be provided, Suction Assembly wall mounted on rear side of unit for safe removal of acid fumes & easy access to drain area

<b>Specification Parameter Name</b>	<b>Bid Requirement (Allowed Values)</b>
Three stage acid neutralization scrubber. Non corrosive centrifugal inbuilt magnetic suction pump for water recirculation. Motor Capacity: 25-30 litres / hour	Automatic Water level indicator to view water level in FRP/SS tank externally Fibre Reinforced plastic/Stainless steel Tank, Containers for Alkali and Water
Auto sequencing Programmable Microprocessor based PC Compatible Distillation with inbuilt software Inbuilt individual expansion vessel and water condenser, Stainless steel non corrosive steam generator with safety sensors.	Auto Intelligent run of programmable steps includes Addition of Boric Acid, Dilution, KMNO4 Addition for Available Nitrogen, Alkali Addition, Steam Processing, Residue Removal, Process over indication with alarm etc. The suction module of waste residue wall should be door mounted for easy serviceability
The suction module of waste residue wall should be door mounted for easy serviceability.	Auto sensing of "NO WATER" condition in condenser & steam generator with alarm & signal to alert user. Auto door open warning indication, Auto tube insert error indication. Auto deactivation of System on error diagnosis, Adjustable steam poweretc with separate control panel. Reagent tanks (2 litres) to be wall mounted for easy handling and users visibility Warranty: 36 months or more
Six Place 250 ml capacity PC Compatible Block Digestion System with all essential accessories Maximum Temperature Control Range: 500° C with safety cut off at 470°C	Integrated auto-sequencing time/temperature domain of 100 programs and 12 sequencing steps TFT Graphic Touch Screen Display with wireless mouse Live Graph representation with Time temp curve in touch screen display Separate temperature Controller with separate access door for electronics control tower unit.
Inbuilt add-on safety standby PID Controller for Heater & block protection Power failure mode: In event of power resumption, holds previous programmed setting in memory & on power resumption starts from last set value	Additional suction assembly with giant suction water aspirator filter suction pumps (2 nos.) for safe removal of acid fumes All essential accessories like Digestion Tubes, SS Insert Rack, Exhaust Manifold to be provided, Suction Assembly wall mounted on rear side of unit for safe removal of acid fumes & easy access to drain area
Three stage acid neutralization scrubber. Non corrosive centrifugal inbuilt magnetic suction pump for water recirculation. Motor Capacity: 25-30 litres / hour	Automatic Water level indicator to view water level in FRP/SS tank externally Fibre Reinforced plastic/Stainless steel Tank, Containers for Alkali and Water
Auto sequencing Programmable Microprocessor based PC Compatible Distillation with inbuilt software Inbuilt individual expansion vessel and water condenser, Stainless steel non corrosive steam generator with safety sensors.	Auto Intelligent run of programmable steps includes Addition of Boric Acid, Dilution, KMNO4 Addition for Available Nitrogen, Alkali Addition, Steam Processing, Residue Removal, Process over indication with alarm etc. The suction module of waste residue wall should be door mounted for easy serviceability
The suction module of waste residue wall should be door mounted for easy serviceability.	Auto sensing of "NO WATER" condition in condenser & steam generator with alarm & signal to alert user. Auto door open warning indication, Auto tube insert error indication. Auto deactivation of System on error diagnosis, Adjustable steam poweretc with separate control panel. Reagent tanks (2 litres) to be wall mounted for easy handling and users visibility Warranty: 36 months or more

Specification Parameter Name	Bid Requirement (Allowed Values)
Six Place 250 ml capacity PC Compatible Block Digestion System with all essential accessories Maximum Temperature Control Range: 500° C with safety cut off at 470°C	Integrated auto-sequencing time/temperature domain of 100 programs and 12 sequencing steps TFT Graphic Touch Screen Display with wireless mouse Live Graph representation with Time temp curve in touch screen display Separate temperature Controller with separate access door for electronics control tower unit.
Inbuilt add-on safety standby PID Controller for Heater & block protection Power failure mode: In event of power resumption, holds previous programmed setting in memory & on power resumption starts from last set value	Additional suction assembly with giant suction water aspirator filter suction pumps (2 nos.) for safe removal of acid fumes All essential accessories like Digestion Tubes, SS Insert Rack, Exhaust Manifold to be provided, Suction Assembly wall mounted on rear side of unit for safe removal of acid fumes & easy access to drain area
Three stage acid neutralization scrubber. Non corrosive centrifugal inbuilt magnetic suction pump for water recirculation. Motor Capacity: 25-30 litres / hour	Automatic Water level indicator to view water level in FRP/SS tank externally Fibre Reinforced plastic/Stainless steel Tank, Containers for Alkali and Water
Auto sequencing Programmable Microprocessor based PC Compatible Distillation with inbuilt software Inbuilt individual expansion vessel and water condenser, Stainless steel non corrosive steam generator with safety sensors.	Auto Intelligent run of programmable steps includes Addition of Boric Acid, Dilution, KMNO4 Addition for Available Nitrogen, Alkali Addition, Steam Processing, Residue Removal, Process over indication with alarm etc. The suction module of waste residue wall should be door mounted for easy serviceability
The suction module of waste residue wall should be door mounted for easy serviceability.	Auto sensing of "NO WATER" condition in condenser & steam generator with alarm & signal to alert user. Auto door open warning indication, Auto tube insert error indication. Auto deactivation of System on error diagnosis, Adjustable steam power etc with separate control panel. Reagent tanks (2 litres) to be wall mounted for easy handling and users visibility Warranty: 36 months or more

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Gaurav Dwivedi	751003, ICAR - Central Institute for Women in Agriculture Plot No. 50-51, Mouza - Jokalandi, P.O. - Baramunda, Bhubaneswar - 751003, Odisha, India	1	15

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**

1. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

3. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

**Note: Read the Buyer Added ATC Document thoroughly and completely and the terms and conditions mentioned in Buyer ATC supersede GeM conditions if case of any contradiction.**

**PROCEDURE TO BE FOLLOWED FOR SUBMISSION OF TENDER:**

Bidder firms which fulfil the below eligibility conditions may upload the technical bid and Financial bid along with the scanned copy of requisite documents as detailed under failing which bids will be rejected.

**TECHNICAL BID:**

SI	Documents	Procedure to be followed
1	EMD	Scanned Copy of the EMD should be uploaded on GeM-portal under Technical BID  Original Earnest Money Deposit in the form of Demand Draft/Pay order/NEFT/RTGS in favour of “ <b>ICAR Unit- DRWA, Account Number-10478302130, IFSC code-SBIN0009027, Name of the Bank- State Bank of India, Priyadarshini Market Branch, Branch code- 9027</b> ” payable at Bhubaneswar as mentioned in this Tender Notice should be placed in a sealed envelope super scribed “ <u>EMD for supply of Protein Analyser for ICAR-CIWA Bhubaneswar</u> ” along with bidders’ name, address and contact details and should be submitted to Administrative Section, 1st Floor, Main Building, ICAR-CIWA, Plot 50-51, Mouza-Jokalandi, Kalinga Studio Chowk, Bhubaneswar - 751003 within the time limit notified in this Tender Notice
2	Documents to be submitted	All required/relevant documents as per Checklist ( <b>Annexure-II</b> ) and additional documents as per tender document should be uploaded in GeM Portal with all pages serially numbered and attested/signed by the Authorised Signatory

**FINANCIAL BID:**

Bidders have to submit online Financial Bid on e-portal as per proforma given in **ANNEXURE "XII"**.

**NOTE:**

All the documents uploaded on e-portal should be self-attested & must be readable, legible, signed & stamped by authorized signatory.

**Annexure-**

**SCOPE OF WORK / LIST OF ITEMS**

**Introduction**

ICAR-CIWA, Bhubaneswar has decided to procure **Protein Analyser** through GeM Portal, as indicated in the specifications, from various vendors who have executed related works in Government Department, PSUs, Government Institutes / bodies, etc.

**Specifications:**

**Protein Analyser**

**Specifications:**

**A. Automatic Macro Block PC Compatible Digestion System**

- Six Place 250 ml capacity PC Compatible Block Digestion System with all essential accessories
- Maximum Temperature Control Range: 500° C with safety cut off at 470°C
- Integrated auto-sequencing time/temperature domain of 100 programs and 12 sequencing steps
- TFT Graphic Touch Screen Display with wireless mouse
- Live Graph representation with Time temp curve in touch screen display
- Separate temperature Controller with separate access door for electronics control tower unit.
- Inbuilt add-on safety standby PID Controller for Heater & block protection
- Power failure mode: In event of power resumption, holds previous programmed setting in memory & on power resumption starts from last set value.
- Additional suction assembly with giant suction water aspirator filter suction pumps (2 nos.) for safe removal of acid fumes
- All essential accessories like Digestion Tubes, SS Inert Rack, Exhaust Manifold to be provided,
- Suction Assembly wall mounted on rear side of unit for safe removal of acid fumes & easy access to drain area

-

**B. Scrubber System**

- Three stage acid neutralization scrubber.
- Non corrosive centrifugal inbuilt magnetic suction pump for water recirculation.
- Motor Capacity: 25-30 litres / hour
- Automatic Water level indicator to view water level in FRP/SS tank externally
- Fibre Reinforced plastic/Stainless steel Tank, Containers for Alkali and Water

-

### **C. Automatic Distillation System**

- Auto sequencing Programmable Microprocessor based PC Compatible Distillation with inbuilt software
- Inbuilt individual expansion vessel and water condenser, Stainless steel non corrosive steam generator with safety sensors.
- Auto Intelligent run of programmable steps includes Addition of Boric Acid, Dilution, KMNO<sub>4</sub> Addition for Available Nitrogen, Alkali Addition, Steam Processing, Residue Removal, Process over indication with alarm etc.
- The suction module of waste residue wall should be door mounted for easy serviceability.
- Auto calculation of results on feeding of titre value with built in formula. Parameters can be viewed directly in touch screen and can be exported to excel, Includes Ethernet connectivity.
- Auto sensing of "NO WATER" condition in condenser & steam generator with alarm & signal to alert user.
- Auto door open warning indication, Auto tube insert error indication. Auto deactivation of System on error diagnosis, Adjustable steam power etc with separate control panel.
- Reagent tanks (2 litres) to be wall mounted for easy handling and users visibility.
- Automatic running count of individual valves in operation like Dilution valve, vent valves, condensor valve, refilling valve, steam valve and residue valve with real time digital display in the touch screen panel
- Non corrosive robust metallic condensor.
- Nitrogen level : 0.1 to 200 mg Nitrogen (Min / Max Detection Limit)
- Nitrogen Reproducibility:  $\pm 0.1\%$  RSD , Nitrogen Recovery :  $> 99.5\%$

**Warranty: 36 months or more**

### **Delivery of the Tendered Items :**

The selected vendor is responsible for supply of the tendered items and the same should be delivered within the time period specified in the GeM Bid.

**Location: ICAR-CIWA, Plot 50-51, Opp Kalinga Studio, Mouza-Jokhalandi, Post Baramunda, Bhubaneswar - 751003**

#### **Contact:**

For further details, you may please feel to contact the Purchase Officer - 0674 2387245 / [scores.ciwa@icar.gov.in](mailto:scores.ciwa@icar.gov.in)

For clarification regarding the technical specification, you may please call: Dr. Sachidananda Swain (9933282236, [sachidananda.swain@icar.gov.in](mailto:sachidananda.swain@icar.gov.in))

### **Annexure - II**

#### **CHECK LIST**

##### **DETAILS OF DOCUMENTS TO BE PROVIDED AGAINST GeM BID**

**Note:** All documents along with above check list shall be dully signed and stamped by the bidder. Non-attested documents will not be considered.

<b>Sl. No.</b>	<b>Parameters/ Documents to be attached</b>	<b>Provided (Yes/No)</b>	<b>Reference Page no./ Remarks</b>
----------------	---	--------------------------	------------------------------------

<b>1</b>	Certification/Registration Details			
	<b>1.1</b>	PAN Card		
	<b>1.2</b>	GST Registration		
	<b>1.3</b>	MCA/Company Registration		
	<b>1.4</b>	TAN Number (if applicable)		
	<b>1.5</b>	NSIC/SSI certificates registered with NSIC (if applicable)		
	<b>1.6</b>	Udyam Registration Certificate (if applicable)		
<b>2</b>	Certified copies of Balance Sheet by the Registered Chartered Accountants <b>for the following years</b>			
	<b>2.1</b>	FY 2021-22/AY 2022-23		
	<b>2.2</b>	FY 2022-23/AY 2023-24		
	<b>2.3</b>	FY 2023-24/AY 2024-25		
<b>3</b>	Certified copies of Profit & Loss Account by the Registered Chartered Accountants <b>for the following years</b>			
	<b>3.1</b>	FY 2021-22/AY 2022-23		
	<b>3.2</b>	FY 2022-23/AY 2023-24		
	<b>3.3</b>	FY 2023-24/AY 2024-25		
<b>4</b>	Self-attested copies of Income Tax Return <b>for the following years</b>			
	<b>4.1</b>	FY 2021-22/AY 2022-23		
	<b>4.2</b>	FY 2022-23/AY 2023-24		
	<b>4.3</b>	FY 2023-24/AY 2024-25		

<b>5</b>	Annual Turnover certificate of the bidder for the last 03 financial years (Financial Year 2021-22, 2022-23 and 2023-24) duly certified by a registered Chartered Accountant		
<b>6</b>	Annual Turnover certificate of OEM for the last 03 financial years (Financial Year 2021-22, 2022-23 and 2023-24) duly certified by a registered Chartered Accountant		
<b>7</b>	Scanned copy of GST clearance and deposit receipt of months April to November 2024 (any two months) in form GSTR-3B as per rule (5)		
<b>8</b>	Tender Acceptance Form <b>(Annexure - III)</b>		
<b>9</b>	Original Equipment Manufacturer (OEM)'S Authorization Form <b>(Annexure - IV)</b> (if applicable)		
<b>10</b>	Self-Certification on company letter head: Restrictions under Rule 144 (xi) of the General Financial Rules (GFRs), 2017 (Land Border Sharing) <b>(Annexure - V)</b>		
<b>11</b>	Local Content Declaration under Preference to "MAKE IN INDIA" Policy <b>(Annexure -VI)</b>		
<b>12</b>	Experience Certificate/ Past performance Certificate as per bid requirement <b>(Annexure - VII)</b>		
<b>13</b>	Bid Securing Declaration Form on Company's letter head <b>(Annexure - VIII)</b>		
<b>14</b>	Undertaking on Company letter head regarding Fall Clause <b>(Annexure - IX)</b>		
<b>15</b>	Declaration on Letter Head regarding non-blacklisting <b>(Annexure - X)</b>		
<b>16</b>	<b>Technical Specification Compliance/Deviation (Annexure-XI)</b>		
<b>17</b>	<b>Quoted Product Brochure/Catalogue</b>		
<b>18</b>	Compliance undertaking regarding Comprehensive Warranty and Post Warranty CAMC, if any, as per requirement of the Bid.		
<b>19</b>	Any other additional information/documentation as required in the bid		

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attache categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which share a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड दे वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाव व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

---Thank You/धन्यवाद---